

CNPJ. 01.598.970/0001-01
COMISSÃO PERMANENTE DE LICITAÇÃO

Juntada da Proposta de Preços

Junto aos autos do Processo licitatório nº 020/2021, na modalidade **Pregão Eletrônico**, as proposta de preços apresentados pela empresa **DISTIMAR COMERCIO E SERVICOS LTDA**, para o presente certame.

Senador La Rocque/MA, em 24 de Junho de 2021.


RAFAEL RIBEIRO FILHO
Pregoeiro
Decreto. nº 05/2021



PREGÃO ELETRÔNICO N° 020/2021
ANEXO II

Ilmo. Sr.
Pregoeiro
Prefeitura Municipal de Senador La Rocque - MA

PROPOSTA DE PREÇOS

Prezados Senhores,

Pela presente, submetemos à vossa apreciação a nossa proposta relativa a licitação em epígrafe, assumindo inteira responsabilidade por quaisquer erros ou omissões que venham a ser verificados na preparação da mesma e declaramos ainda que, temos pleno conhecimento das condições em que se desenvolverão os trabalhos e concordamos com a totalidade das instruções e critérios de qualificação definidos no edital.

1. PROPONENTE:

RAZÃO SOCIAL: DISTIMAR COMERCIO E SERVIÇOS LTDA
C.N.P.J: 10.779.520/0001-06
Endereço: RUA PROJETADA B Nº 13 - LEANDRA, IMPERATRIZ-MA
E-mail: distimar2008@gmail.com Telefone: 99 99135 2828

2. Representante legal que assinará o Contrato:

Nome: ITAIANA UIARA LUCENA DOMINGUES
Cédula de identidade/órgão emissor: 122664599-0 SSP-MA
CPF: 655.797.983-34
Cargo/Função: SÓCIA ADMINISTRADORA

DISTIMAR COMERCIO E SERVIÇOS LTDA
RUA "B" Nº 13 – BAIRRO LEANDRA – IMEPRATRIZ/MA
CNPJ: 10.779.520/0001-06
E-MAIL: distimar2008@gmail.com

**EQUIPAMENTOS DE INFORMÁTICA**

ITEM	OBJETO	MARCA	UND	QTD	P. UNT.	P. TOTAL
1	Tablet Tab A 7.0" 4G SM-T285 com Tela 7", 8GB, Câmera 5MP, Android 5.1 e Processador Quad Core de 1.5GHz – Preto	MULTILASER	UND	100	720,00	72.000,00
6	MULTIFUNCIONAL JATO DE TINTA - Wi-Fi, memória interna:128MB,quantidade de cartuchos de impressão : 4(preto,ciano,magenta,amarelo - de cada), velocidade do processador:360 MHz, Tipo de tintacompatíveis:baseado em pigmento(preto e colorido)	EPSON	UND	10	800,00	8.000,00
TOTAL						80.000,00

PROPOSTA DE PREÇOS: VALOR TOTAL R\$ 80.000,00 (oitenta mil reais)

PRazo DE VALIDADE DA PROPOSTA: 60 (sessenta) dias, a contar da data de sua apresentação.

PRazo DE ENTREGA DOS PRODUTOS LICITADOS: 15 (quinze) dias corridos, contados da assinatura do contrato ou documento equivalente;

DISTIMAR COMERCIO E SERVIÇOS LTDA
RUA "B" Nº 13 – BAIRRO LEANDRA – IMEPEPATRIZ/MA
CNPJ: 10.779.520/0001-06
E-MAIL: distimar2008@gmail.com



DADOS BANCÁRIO: ITAÚ – AG:1137 CC: 62.305-2

Declaramos que os preços unitários e total dos itens foram cotados em moeda nacional (Real R\$); já incluídos todos os tributos, custos de frete, encargos fiscais, trabalhistas, comerciais e quaisquer outras despesas incidentes sobre o objeto da licitação.

IMPERATRIZ-MA, 24 DE JUNHO DE 2021




DISTIMAR COMERCIO E SERVIÇOS LTDA

ITAIANA UIARA LUCENA DOMINGUES

Sócia - Administradora

RG: 122664599-0 SSP-MA




DISTIMAR COMERCIO E SERVIÇOS LTDA
RUA "B" Nº 13 – BAIRRO LEANDRA – IMEPRATRIZ/MA
CNPJ: 10.779.520/0001-06
E-MAIL: distimar2008@gmail.com

**Tablet Multilaser M7s Go Nb316 Preto 16gb Wi-Fi
Quad Core Android 8.1 Tela 7"**



A handwritten signature in black ink, consisting of a large, stylized 'E' or 'L' shape with a loop at the top.

6	MULTIFUNCIONAL JATO DE TINTA - WI-FI, MEMÓRIA INTERNA:128MB, QUANTIDADE DE CARTUCHOS DE IMPRESSÃO: 4(PRETO, CIANO, MAGENTA, AMARELO - DE CADA), VELOCIDADE DO PROCESSADOR:360 MHZ, TIPO DE TINTACOMPATÍVEIS:BASEADO EM PIGMENTO (PRETO E COLORIDO)	EPSON
---	--	-------




CNPJ. 01.598.970/0001-01
COMISSÃO PERMANENTE DE LICITAÇÃO

Juntada da Proposta de Preços

Junto aos autos do Processo licitatório nº 020/2021, na modalidade **Pregão Eletrônico**, as proposta de preços apresentados pela empresa **EGC COMERCIO E ATACADISTA DE INFORMATICA E ELETROELETRONICOS EIRELI**, para o presente certame.

Senador La Rocque/MA, em 24 de Junho de 2021.


RAFAEL RIBEIRO FILHO
Pregoeiro
Decreto. nº 05/2021



AO
TRIBUNAL DE CONTAS DO ESTADO DO TOCANTINS
PREGÃO ELETRÔNICO Nº 04/2021

PROPOSTA COMERCIAL

ITEM	ESPECIFICAÇÃO	MARCA/MODELO	QTD	UNID	PREÇO UNIT	PREÇO TOTAL
09	SWITCH - DES-102413 para rack ou mesa 24 portas 10/100.	D-LINK DES-1024D	10	Unidade	R\$499,99	R\$ 4.999,90
10	SWITCH - de 16 portas DES-1016a.	TP-LINK TL-SF1016D	10	Unidade	R\$209,99	R\$ 2.099,90

Preço global da proposta: R\$ 7.099,80 (sete mil, noventa e nove reais, oitenta centavos)

Prazo de validade da proposta: 60 (sessenta) dias correntes, contar da data da apresentação da proposta;

Prazo de entrega: 15 (quinze) dias, após o recebimento do empenho;

Prazo de garantia: 12 (doze) meses, a contar da data do recebimento definitivo dos materiais;

Locais de entrega: Conforme empenho.

Declaramos que no preço ofertado estão inclusas todas as despesas que incidam ou venham a incidir, tais como, transporte de qualquer natureza, materiais empregados, insumos, inclusive ferramentas, seguro, utensílios, equipamentos, administração, impostos, taxas, despesas com instalação (quando for o caso), enfim, todos os custos diretos e indiretos necessários ao cumprimento do objeto ora licitado, inclusive os decorrentes de eventuais substituições dentro prazo estipulado, se for o caso.

Declaramos que os preços ofertados são fixos e irreajustáveis.



EGC COMERCIO E ATACADISTA DE INFORMÁTICA E ELETROELETRÔNICO EIRELI
Endereço: Rodovia Br 101, 0 - Sala 118 - Distrito Industrial - Conde, PB - CEP: 5822000
CNPJ: 31.768.037/0001-98
IE: 0849999-34
Telefone: (81) 4102-7444 / 99188-5298
Site: www.grupomoov.com
Email: licitação@grupomoov.com



Dados cadastrais do responsável pela assinatura da Ata;

Nome: Sr. Gustavo Luiz Wanderley Costa

CPF: 030.619.074-59

R.G: 5.086.810 SSP/PE

Fone: (81) 99185-5298

Dados da empresa:

Razão Social: ECG COMERCIO E ATACADISTA DE INFORMATICA E ELETROELETRONICOS EIRELLI;

CNPJ/MF nº 31.768.037/0001-98;

Endereço: ROD BR 101, 0 – sala 118 – Distrito Industrial – Conde, PB – CEP: 58.322-000;

Dados bancários: Banco do Brasil – AG: 5740-1, conta corrente: 63.216-3

Telefone: 81- 99185-5298

E-mail para contato: licitacao@grupomoov.com

Conde, 24 de Junho de 2021

EGC COMERCIO E ATACADISTA DE INFORMÁTICA E ELETROELETRONICO EIRELI

Gustavo Luiz Wanderley Costa

Procurador

CPF: 030.619.074-59

R.G: 5.086.810 SSP/PE




EGC COMERCIO E ATACADISTA DE INFORMATICA E ELETROELETRONICO EIRELI
Endereço: Rodovia Br 101, 0 - Sala 118 - Distrito Industrial - Conde, PB - CEP: 5822000
CNPJ: 31.768.037/0001-98
IE: 0849999-34
Telefone: (81) 4102-7444 / 99185-5298
Site: www.grupomoov.com
Email: licitacao@grupomoov.com

TP-LINK®



16-Port 10/100M Desktop Switch TL-SF1016D



Up to 200Mbps full duplex
bandwidth capability for
high speed data processing

Innovative energy-efficient
technology saves power up to 30%

Hassle free setup,
no configuration required



Description:

The TL-SF1016D 16-Port 10/100M desktop switch provides an easy way to expand your wired network. All 16 ports support auto MDI/MDIX, no need to worry about the cable type, simply plug and play. Featuring full duplex, the TL-SF1016D can process the data at a speed of up to 200Mbps, making it an ideal choice for expanding your high performance wired network. Moreover, with the innovative energy-efficient technology, the TL-SF1016D can save up to 35% of the power consumption, making it an eco-friendly solution for your home or office network.

www.tp-link.com

Specifications:

Standards	IEEE 802.3, IEEE 802.3u, IEEE 802.3x
Protocol	CSMA/CD
Interfaces	16 10/100Mbps, Auto-Negotiation, Auto MDI/MDIX
Switching Features	Half and Full Duplex MAC Address Learning 3.2Gbps backplane bandwidth
Forwarding Rate	10BASE-T: 14880pps/port 100BASE-TX: 14880pps/port
Data Rate	10/100Mbps at Half Duplex 20/200Mbps at Full Duplex
LEDs	Power, 1 ~ 16
Transfer Method	Store-and-Forward
MAC Address Learning	Automatically learning, automatically update
Power Supply	External Power Adapter
Safety & Emission	CE, FCC
Operating Temperature	0°C ~ 40°C (32°F ~ 104°F)
Storage Temperature	-40°C ~ 70°C (-40°F ~ 158°F)
Operating Humidity	10% ~ 90% RH non-condensing
Storage Humidity	5% ~ 90% RH non-condensing
Dimensions(L x W x H)	7.9 x 5.6 x 1.6 in. (200 x 142 x 40 mm)

Features:

- Up to 200Mbps full duplex bandwidth capability for high speed data processing
- Innovative energy-efficient technology saves power up to 35%
- Plug and play design simplifies installation
- Auto-MDI/MDIX eliminates the need for crossover cables
- IEEE 802.3x flow control provides reliable data transfer
- Wire speed switching ensures minimum network congestion
- Auto negotiation ports provides smart integration between 10Mbps and 100Mbps hardware


Package:

- 16-Port 10/100M Desktop Switch
TL-SF1016D
- Power Adapter
- User Guide

Related Products:

- 1-Port External ADSL2+ Modem Router
TD-8810
- 10/100M CardBus Network Adapter
TF-5239
- 10/100M PCI Network Adapter
TF-3200

Diagram:



Specifications are subject to change without notice. TP-LINK is a registered trademark of TP-LINK Technologies Co., Ltd. Other brands and product names are trademarks or registered trademarks of their respective holders. No part of the specifications may be reproduced in any form or by any means or used to make any derivative such as translation, transformation, or adaptation without permission from TP-LINK Technologies Co., Ltd.

Product Highlights

Eco-friendly and Economical


Low-cost, innovative design runs reliably and quietly, saving energy and cutting costs without sacrificing connectivity

High-speed Networking

Fast Ethernet ports allow you to expand your network and connect all your devices for quick file transfers and smooth media streaming

Saves Energy

Environmental features reduce energy consumption, cutting costs, while compliance certifications give you peace of mind



DES-1016D and DES-1024D 16/24 Port 10/100 Switch

Features

Green features

- IEEE802.3az EEE (Energy Efficient Ethernet)
- RoHS compliant

Standards

- IEEE 802.3 10BASE-T Ethernet (twisted-pair copper)
- IEEE 802.3u 100BASE-TX Fast Ethernet (twisted-pair copper)
- IEEE 802.3az Energy-Efficient Ethernet (EEE)
- ANSI/IEEE 802.3 NWay auto-negotiation

Versatile Support

- Plug-and-play installation
- Full/half-duplex for Ethernet/Fast Ethernet speeds
- IEEE 802.3x Flow Control

With the D-Link 16/24 Port 10/100 Switch, you can easily expand your business or home network by adding more computers and devices, each achieving speeds up to 200 Mbps per port in full-duplex mode. Quickly and securely connect employees working in small offices with one another and with all of the servers, printers, and other devices they use. High performance and reliable connectivity help speed file transfers and data processing, improve network uptime, and keep your employees connected and productive.

Expand and Upgrade Your Network

The DES-1016D and DES-1024D offers an economical way for SOHO and small to medium businesses (SMB) to benefit from high-speed networking. It provides twenty-four ports for easy expansion of your network and a quick way to upgrade your network to Fast Ethernet connectivity. The switches speed file transfer times, improve slow and sluggish networks, keep your vital business applications available, and help your employees respond more quickly to customers and each other

Conserve Energy

The DES-1016D 16 Port 10/100 Switch helps you conserve energy through IEEE802.3az EEE, which works when both the switch and its link partner are EEE-compliant devices. This power-saving feature automatically puts the switch into a low-power idle state when the switch utilization is zero, allowing you to lower your energy usage and save on your energy costs.

Designed with the Environment in Mind

The DES-1016D and DES-1024D use recyclable packaging that helps reduce waste, complying with the WEEE directive. It's innovatively designed to run cool and quiet without sacrificing performance

Technical Specifications

General

Standards	• IEEE 802.3 10BASE-T Ethernet (twisted pair copper) • IEEE 802.3u 100BASE-TX Fast Ethernet (twisted-pair copper)	• ANSI/IEEE 802.3 NWay auto-negotiation • IEEE 802.3x flow control • IEEE 802.3az EEE function
LAN	• IEEE 802.3 10BASE-T • IEEE 802.3u 100BASE-TX compliance	• IEEE 802.3x Flow Control support
Data Transfer Rates	• Fast Ethernet • 100 Mbps Half-Duplex • 200 Mbps Full-Duplex	• Ethernet • 10 Mbps Half-Duplex • 20 Mbps Full-Duplex

Functionality

Port Packet Filtering/ Forwarding Rate	• 148,800 pps for 100 M	• 14,880 pps for 10 M
Switching Fabric	• DES-1016D: • 3.2 Gbps switching fabric	• DES-1024D: • 4.8 Gbps switching fabric
Number of Ports	• DES-1016D: • 16 10/100Mbps Fast Ethernet ports	• DES-1024D: • 24 10/100Mbps Fast Ethernet ports
Network Cables	• 10BASE-T: • UTP CAT 3/4/5/5e (100 m max.) • EIA/TIA-568 100-ohm STP (100 m max.)	• 100BASE-TX • UTP CAT 5/5e (100 m max.) • EIA/TIA-568 100-ohm STP (100 m max.)
Media Interface Exchange	• Auto MDI/MDIX adjustment for all ports	
LED Indicators	• Per port: • Link/Activity	• Per device: • Power
Transmission Method	• Store-and-forward	
MAC Address Table	• 8K entries per device	
MAC Address Learning	• Automatic update	
Packet Filtering /Forwarding Rates	• Ethernet: 14,880 pps per port	• Fast Ethernet: 148,800 pps per port
Topology	• Star	
Protocol	• CSMA/CD	

Physical

Dimensions	• 282 x 150 x 44 mm (11.1 x 5.91 x 1.73 Inches)	
Weight	• DE-1016D: 1.06 kg (2.34 lbs)	• DES-1024D: 1.14 kg (2.51 lbs)
Power Consumption	• DES-1016D • Standard Power Consumption: 0.9 Watts • Maximum Power Consumption: 2.1 Watts	• DES-1024D • Standard Power Consumption: 1.17 Watts • Maximum Power Consumption: 2.8 Watts
Heat Dissipation	• DES-1016D: • Maximum Heat Dissipation: 7.1652 BTU/h	• DES-1024D: • Maximum Heat Dissipation: 9.5536 BTU/h
MTBF	• DES-1016D: 492,096 hours	• DES-1024D: 810,880 hours
Temperature	• Operating: 0 to 40 °C (32 to 104 °F)	• Storage: -10 to 70 °C (14 to 158 °F)
Humidity	• Operating: 10% to 90% non-condensing	• Storage: 5% to 90% non-condensing

DES-1016D and DES-1024D 16/24 Port 10/100 Switch

Certifications	• CE • FCC • ICES-003 • BSMI • RCM	• CCC • VCCI • cUL • CB • LVD
Order Information		
Part Number	Description	
DES-1016D and DES-1024D	16/24 Port 10/100 Switch	

Updated 02/22/18